

February 11, 2016

TSX-V: RRS

Rogue Resources Announce Assay Results from 20 Drill Holes, Up To 99.98% High Purity Silica SiO₂

- PROJECT'S HIGHEST QUARTZITE CORE ASSAY AT 99.98% SiO₂ REPORTED
- 20 ADDITIONAL DRILL HOLE ASSAYS REPORTED OUT OF 71 HOLE DRILL PROGRAM
- COMPILATION OF DATA UNDERWAY BY GEOLOGICAL TEAM
- ANZAPLAN'S CHEMICAL AND THERMAL TESTING ON 7,000 KG BULK SAMPLE CONTINUES
- MET-CHEM CONTINUING TO WORK ON RESOURCE REPORT AND PEA

VANCOUVER, B.C. – Rogue Resources Inc. (TSX-V: RRS) ("Rogue" or the "Company") is pleased to announce it has received high purity silica SiO₂ drill core assays of up to 99.98% from the Lac de la Grosse Femelle Silica Project ("Femelle") located approximately 42 kilometers ("km") north of Baie-Saint Paul, Québec, and 4 km northeast of Sitec's operating silica mine. This is the highest purity level recorded by the Company since drilling began in August 2015.

"The drill assay results announced today confirm the Femelle Project's high purity silica potential. Recent announcements by the Government of Alberta, as well as other jurisdictions in the World that are considering increased use of solar energy, exemplifies the importance of high purity quartzite projects that have the potential to provide the silica required for solar panel production," commented John de Jong, CEO and President. "The Company is looking forward to the results of the metallurgical test work it initiated in 2015, and the completion of the projects first resource estimate and preliminary economic assessment. We are confident that these reports will provide the guidance necessary to advance Femelle towards a development decision."

General Project Update

- The 2015, 5,000 meter ("m") drill program was expanded to 11,819 m. The drill program was increased to provide additional NQ and PQ drill core to Dofner Anzaplan, the Company completing the metallurgical test work. Drilling concluded in December 2015.
- Infill drilling was completed to 40 to 50 m spacing.
- Strike length of the "G" quartzite unit and "H" quartzite unit were expanded to 1950 m and 500 m respectively. Both units remain open at depth, width and length.
- Anzaplan continues to process a 7,000 kg sample of quartzite conducting chemical tests, thermal stability (decrepitation) and shock tests, sensor based sorting, mineralogical characterization,

mineral dressing and conventional comminution, physical treatment (attrition, magnetic separation, flotation, high tension separation), chemical processing, and laboratory melting tests.

- Anzaplan's testing will also identify the processes required to further purify the quartzite, determining potential usage(s) and value.
- Met-Chem, located in Montréal, Québec is working with Company geologists in compiling information in preparation of providing a resource estimate and PEA. Met-Chem is working closely with Anzaplan as they complete their testing regime on the sample provided.
- WSP Canada continues to work on environmental impact studies and has provided a comprehensive plan for a full environmental impact study report that would be required should the project advance to the permitting stage.

PDAC

Investors are invited to drop by booth #2929 at the Prospectors and Developers Association of Canada ("PDAC") convention in Toronto, March 6 – 9, 2016, where management and geological staff will be available to answer any questions.

Drill Program Hole Details

- Seventy one drill holes completed, GF15-1 to GF15-71, consisting of 11,819 m.
- Fifty-five drill holes drilled on "G" quartzite unit and intersected widths of up to 112 m of quartzite, drilled between the holes GF15-1 on section 600W and GF15-35 section 1300E, on a strike length of approximately 1950 m (Figure 1).
- G quartzite has a true width between 32 m and 93 m of white to pinkish-red quartzite that is coarse, crystalline and massive to banded.
 - Twenty-seven of the G quartzite drill holes are located on the western side of "G" quartzite, intersecting quartzite over a strike length of 650 m with average true width of 93 m.
 - Twenty-four of the "G" quartzite drill holes located on the eastern side of "G" quartzite intersecting quartzite over a strike length of 615 m with true widths of 35 m to 76 m that widens and has been followed up to the section 1300E drill hole GF15-35. This quartzite is white, coarse, crystalline, and massive.
- Eleven drill holes drilled on "H" quartzite located 225 m north of Quartzite G
 - GF15-4, GF15-24, GF15-26, GF15-27, GF15-29, GF15-31, and GF15-67 to GF15-71 intersected between 44 m to 60 m of white quartzite, coarse grain, crystalline and massive. The quartzite has a strike length of 500 m and is open in both directions, east and west.
- Five drill holes (PQ and NQ) were drilled for Anzaplan and shipped to Germany for technical evaluation. The assay and metallurgical results from these holes will be reported on when received.

To view complete drill tables for assays disclosed today, please click on the link below:

<http://www.roguerresources.ca/i/misc/16-02-11-NR-Tables.pdf>

To view a drill location map, please click on the link below:

<http://www.roguerresources.ca/i/misc/feb-2016-NR-DDH-Plan.jpg>

Drill Hole GF15-20 Details

- Located 306 m northeast of the drill hole GF15-7 on the “G” quartzite zone.
- Total 84 samples with sampling length 96.65 m in the quartzite or 95.2 m true width
- 48 of 84 samples returning assays ranging from 97.93 to 99.88 SiO₂ over combined width of 56.75 meters

Sequence of Assayed Silica Oxide Contents (Over 97.9% SiO₂)

- Sequence 1: 6.55 m core length (39.7 m to 46.25m) or 6.55 m true width
 - 2 assay between 99.21 and 99.28% SiO₂
 - 6.55 m interval 6 assays between 98.19 and 99.28% SiO₂
- Sequence 2: 5.7 m core length (48.8 m to 54.5 m) or 5.61 m true width
 - 5.7 m interval 4 assays between 98.04 and 98.68% SiO₂
- Sequence 3: 18.6 m core length (56.0 m to 74.6 m) or 18.32 m true width
 - 4 assay between 99.07 and 99.88% SiO₂
 - 18.6 m interval 14 assays between 98.02 and 99.88% SiO₂
- Sequence 4: 4.6 m core length (75.6 m to 80.2 m) or 4.53 m true width
 - 4.6 m interval 7 assays between 97.93 and 98.92% SiO₂
- Sequence 5: 2.1 m core length (85.4 m to 87.5 m) or 2.07 m true width
 - 2.1 m interval 2 assays between 97.99 and 98.97% SiO₂
- Sequence 6: 3.65 m core length (88.7 m to 92.35 m) or 3.6 m true width
 - 3.65 m interval 3 assays between 98.21 and 98.7% SiO₂
- Sequence 7: 5.85 m core length (92.85 m to 98.7 m) or 5.76 m true width
 - 1 assay at 99.58% SiO₂
 - 5.85 m interval 4 assays between 98.35 and 99.58% SiO₂
- Sequence 8: 2.75 m core length (103.05 m to 105.8 m) or 2.71 m true width
 - 1 assay at 99.05% SiO₂
 - 2.75 m interval 2 assays between 98.62 and 99.05% SiO₂
- Sequence 9: 1.25 m core length (131.2 m to 132.45 m) or 1.23 m true width
 - 1.25 m interval 2 assays between 98.0 and 98.86% SiO₂

Drill Hole GF15-22 Details

- Located 406 m northeast of the drill hole GF15-17 on the “G” Quartzite zone.
- Total 77 samples with sampling length 102.0 m in the quartzite or 81.14 m true width
- 47 of 77 samples returning assays ranging from 97.94 to 99.62% SiO₂ over combined width of 61.25 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 3.95 m core length (9.2 m to 13.15 m) or 3.14 m true width
 - 2 assays between 99.01 and 99.24% SiO₂
 - 3.95 m interval 3 assays between 98.92 and 99.24% SiO₂
- Sequence 2: 5.6 m core length (16.3 m to 21.9 m) or 4.45 m true width

- 1 assay 99.27% SiO₂
 - 5.6 m interval 4 assays between 98.2 and 99.27% SiO₂
- Sequence 3: 2.65 m core length (23.35 m to 26.0 m) or 2.11 m true width
 - 2.65 m interval 2 assays between 98.38 and 98.73% SiO₂
- Sequence 4: 6.6 m core length (36.6 m to 43.2 m) or 5.25 m true width
 - 2 assay 99.62% SiO₂
 - 6.6 m interval 5 assays 98.6 and 99.62% SiO₂
- Sequence 5: 8.55 m core length (44.95 m to 53.5 m) or 6.8 m true width
 - 3 assays between 99.16 and 99.37% SiO₂
 - 8.55 m interval 6 assays between 98.01 and 99.37% SiO₂
- Sequence 6: 2.25 m core length (55.1 m to 57.35 m) or 1.79 m true width
 - 2 assays between 99.14 and 99.18% SiO₂
- Sequence 7: 13.7 m core length (58.3 m to 72.0 m) or 10.9 m true width
 - 4 assays between 99.02 and 99.47% SiO₂
 - 13.7 m interval 11 assays between 97.94 and 99.47% SiO₂
- Sequence 8: 8.5 m core length (89.5 m to 98.0 m) or 6.76 m true width
 - 8.5 m interval 6 assays between 97.96 and 98.69% SiO₂
- Sequence 9: 2.1 m core length (99.4 m to 101.5 m) or 1.67 m true width
 - 1 assay of 99.07% SiO₂
 - 2.1 m interval 2 assays between 98.24 and 99.07% SiO₂
- Sequence 10: 4.2 m core length (103.1 m to 107.3 m) or 3.34 m true width
 - 4.2 m interval 3 assays between 98.07 and 98.8% SiO₂

Drill Hole GF15-23 Details

- Located northeast of the drill hole GF15-5 at 151.6 m and drilled under the “G” quartzite zone.
- Total 87 samples with sampling length 116.2 m in the quartzite or 86.72 m true width
- 51 of 87 samples returning assays ranging from 97.92 and 99.41% SiO₂ over combined width of 66.95 meters

Sequence of Assayed Silica Oxide Contents (Over 97.9% SiO₂)

- Sequence 1: 2.4 m core length (26.8m to 28.4m) or 1.79 m true width
 - 2.4 m interval 2 assays between 98.47 and 98.76% SiO₂
- Sequence 2: 4.35 m core length (30.5 m to 34.85 m) or 3.25 m true width
 - 4.35 m interval 3 assays between 98.23 and 98.32% SiO₂
- Sequence 3: 3.8 m core length (35.65m to 39.45m) or 2.84 m true width
 - 3.8 m interval 3 assays between 98.1 and 98.39% SiO₂
- Sequence 4: 2.8 m core length (40.6m to 43.4m) or 2.09 m true width
 - 2.8 m interval 2 assays between 97.93 and 98.84% SiO₂

- Sequence 5: 9.55 m core length (51.4 m to 60.95 m) or 7.13 m true width
 - 3 assay between 99.09 and 99.2% SiO₂
 - 9.55 m interval 7 assays between 98.15 and 99.2% SiO₂
- Sequence 6: 4.3 m core length (69.0m to 73.3m) or 3.21 m true width
 - 4.3 m interval 3 assays between 97.93 and 98.36% SiO₂
- Sequence 7: 16.6 m core length (74.5m to 91.1m) or 12.39 m true width
 - 2 assay between 99.28 and 99.41% SiO₂
 - 16.6 m interval 13 assays between 98.04 and 99.41% SiO₂
- Sequence 8: 4.8 m core length (103.4m to 108.2m) or 3.58 m true width
 - 4.8 m interval 4 assays between 97.92 and 98.29% SiO₂
- Sequence 9: 2.4 m core length (116.0m to 118.4m) or 1.79 m true width
 - 2.4 m interval 2 assays between 98.02 and 98.12% SiO₂
- Sequence 10: 5.15 m core length (125.15m to 130.3m) or 3.84 m true width
 - 1 assay at 99.07% SiO₂
 - 5.15 m interval 4 assays between 98.19 and 99.07% SiO₂
- Sequence 11: 2.65 m core length (131.6m to 134.25m) or 1.98 m true width
 - 2.65 m interval 2 assays between 98.18 and 98.83% SiO₂

Drill Hole GF15-25 Details

- Located 353 m northeast of the drill hole GF15-5 on the “G” quartzite zone.
- Total 73 samples with sampling length 109.95 m in the quartzite or 103.53 m true width
- 36 of 73 samples returning assays ranging between 97.9 to 99.98% SiO₂ over combined width of 57.45 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 16.85 m core length (44.15 m to 61.0 m) or 15.87 m true width
 - 3 assays between 99.22 and 99.49% SiO₂
 - 3.6 m interval 3 assays between 97.93 and 99.49% SiO₂
- Sequence 2: 3.4 m core length (63.6 m to 67.0 m) or 3.2 m true width
 - 1 assay of 99.12% SiO₂
 - 3.4 m interval 2 assays between 98.53 and 99.12 % SiO₂
- Sequence 3: 21.8 m core length (73.0 m to 94.8 m) or 20.53 m true width
 - 4 assay between 99.07 and 99.98% SiO₂
 - 21.8 m interval 12 assays between 97.9 and 99.98% SiO₂
- Sequence 4: 4.8 m core length (127.2 m to 132.0 m) or 4.52 m true width
 - 4.8 m interval 3 assays between 97.94 and 98.59% SiO₂
- Sequence 5: 2.85 m core length (134.15 m to 137.0 m) or 2.68 m true width
 - 2.85 m interval 2 assays between 97.94 and 97.99% SiO₂
- Sequence 6: 3.1 m core length (143.0 m to 146.1 m) or 2.92 m true width
 - 3.1 m interval 3 assays between 97.97 and 98.05% SiO₂

Drill Hole GF15-27 Details

- Located 270 m west of the channel R13 on the “H” Quartzite and 415 m northwest of the “G” quartzite zone.
- Total 58 samples with sampling length 81.95 m in the quartzite or 71.84 m true width
- 32 of 58 samples returning assays ranging from 97.94 to 99.47% SiO₂ over combined width of 45.85 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 9.0 m core length (72.0 m to 81.0 m) or 7.89 m true width
 - 1 assay of 99.47% SiO₂
 - 9.0 m interval 7 assays between 98.1 and 99.47% SiO₂
- Sequence 2: 10.6 m core length (82.2 m to 92.8 m) or 9.29 m true width
 - 1 assay of 99.03% SiO₂
 - 10.6 m interval 7 assays between 98.67 and 99.03% SiO₂
- Sequence 3: 3.0 m core length (112.5 m to 115.5 m) or 2.63 m true width
 - 3.0 m interval 2 assays between 98.16 and 98.55% SiO₂
- Sequence 4: 5.9 m core length (118.0 m to 123.9 m) or 5.17 m true width
 - 1 assay of 99.18% SiO₂
 - 5.9 m interval 4 assays between 98.18 and 99.18% SiO₂
- Sequence 5: 9.65 m core length (140.0 m to 149.65 m) or 8.46 m true width
 - 1 assay of 99.23% SiO₂
 - 9.65 m interval 5 assays between 98.34 and 99.23% SiO₂
- Sequence 6: 2.55 m core length (151.2 m to 153.75 m) or 2.24 m true width
 - 2.55 m interval 3 assays between 98.08 and 98.51% SiO₂

Drill Hole GF15-28 Details

- Located 362 m northeast of the drill hole GF15-5 on the “G” quartzite zone.
- Total 89 samples with sampling length 125.7 m in the quartzite or 118.37 m true width
- 42 of 89 samples returning assays ranging from 97.95 to 99.86% SiO₂ over combined width of 60.65 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 25.25 m core length (91.0 m to 116.25 m) or 23.78 m true width
 - 3 assay between 99.09 and 99.77% SiO₂
 - 25.25 m interval 17 assays between 98.04 and 99.77% SiO₂
- Sequence 2: 2.5 m core length (119.5 m to 122.0 m) or 2.35 m true width
 - 2.5 m interval 2 assays between 98.06 and 98.68% SiO₂
- Sequence 3: 6.2 m core length (128.8 m to 135.0 m) or 5.84 m true width
 - 2 assay between 99.09 and 99.46% SiO₂

- 6.2 m interval 4 assays between 98.0 and 99.46% SiO₂
- Sequence 4: 8.35 m core length (136.0 m to 144.35 m) or 7.86 m true width
 - 2 assay between 99.34 and 99.86% SiO₂
 - 8.35 m interval 5 assays between 98.47 and 99.86% SiO₂
- Sequence 5: 6.45 m core length (145.55 m to 152.0 m) or 6.07 m true width
 - 2 assay between 99.46 and 99.62% SiO₂
 - 6.45 m interval 5 assays between 97.95 and 99.62% SiO₂
- Sequence 6: 2.7 m core length (153.1 m to 155.8 m) or 2.54 m true width
 - 1 assay of 99.03% SiO₂
 - 2.7 m interval 3 assays between 98.83 and 99.03% SiO₂

Drill Hole GF15-30 Details

- Located 455 m northeast of the drill hole GF15-5 on the “G” quartzite zone.
- Total 64 samples with sampling length 96.25 m in the quartzite or 84.59 m true width
- 42 of 64 samples returning assays ranging from 97.92 to 99.53% SiO₂ over combined width of 62.65 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 13.9 m core length (55.1 m to 69.0 m) or 12.22 m true width
 - 2 assay between 99.47 and 99.53% SiO₂
 - 13.9 m interval 10 assays between 98.16 and 99.53% SiO₂
- Sequence 2: 4.7 m core length (70.3 m to 75.0 m) or 4.13 m true width
 - 1 assay of 99.11% SiO₂
 - 4.7 m interval 3 assays between 98.39 and 99.11% SiO₂
- Sequence 3: 2.55 m core length (78.0 m to 80.55 m) or 2.24 m true width
 - 2.55 m interval 2 assays between 98.18 and 98.58% SiO₂
- Sequence 4: 14.5 m core length (81.5 m to 96.0 m) or 12.74 m true width
 - 1 assay of 99.24% SiO₂
 - 14.5 m interval 9 assays between 98.16 and 99.24% SiO₂
- Sequence 5: 12.5 m core length (114.5 m to 127.0 m) or 10.99 m true width
 - 1 assay of 99.32% SiO₂
 - 12.5 m interval 7 assays between 97.95 and 99.32% SiO₂
- Sequence 6: 2.7 m core length (130.1 m to 132.8 m) or 2.7 m true width
 - 2.7 m interval 2 assays between 98.2 and 98.71% SiO₂
- Sequence 7: 4.0 m core length (134.3 m to 138.3 m) or 3.52 m true width
 - 4.0 m interval 3 assays between 97.92 and 98.27% SiO₂
- Sequence 8: 4.0 m core length (140.0 m to 144.0 m) or 3.52 m true width
 - 4.0 m interval 3 assays between 98.2 and 98.92% SiO₂

- Sequence 9: 2.3 m core length (145.5 m to 147.8 m) or 2.02 m true width
 - 2.3 m interval 2 assays between 98.68 and 98.76% SiO₂

Drill Hole GF15-31 Details

- Located 204 m northwest of the channel R13 on the “H” Quartzite and 452 m northwest of the “G” quartzite zone.
- Total 60 samples with sampling length 86.4 m in the quartzite or 69.0 m true width
- 47 of 60 samples returning assays ranging from 97.98 to 99.82% SiO₂ over combined width of 68.35 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 17.35 m core length (60.3 m to 77.65 m) or 13.86 m true width
 - 6 assay between 99.06 and 99.52% SiO₂
 - 17.35 m interval 12 assays between 98.11 and 99.52% SiO₂
- Sequence 2: 4.9 m core length (79.5 m to 84.4 m) or 3.91 m true width
 - 2 assay between 99.74 and 99.82% SiO₂
 - 4.9 m interval 4 assays between 98.67 and 99.82% SiO₂
- Sequence 3: 5.3 m core length (87.1 m to 92.4 m) or 4.23 m true width
 - 3 assay between 99.02 and 99.11% SiO₂
 - 5.3 m interval 4 assays between 98.51 and 99.11% SiO₂
- Sequence 4: 28.7 m core length (94.1 m to 122.8 m) or 22.92 m true width
 - 12 assay between 99.07 and 99.6% SiO₂
 - 28.7 m interval 20 assays between 98.02 and 99.6% SiO₂
- Sequence 5: 3.8 m core length (123.45 m to 127.25 m) or 3.03 m true width
 - 1 assay of 99.3% SiO₂
 - 3.8 m interval 3 assays between 98.05 and 99.28% SiO₂
- Sequence 6: 5.0 m core length (136.0 m to 141.0 m) or 3.99 m true width
 - 1 assay of 99.28% SiO₂
 - 5.0 m interval 3 assays between 98.3 and 99.28% SiO₂

Drill Hole GF15-32 Details

- Located 550 m northeast of the drill hole GF15-5 of the “G” quartzite zone.
- Total 66 samples with sampling length 77.55 m in the quartzite or 70.05 m true width
- 36 of 66 samples returning assays ranging from 97.9 to 99.48% SiO₂ over combined width of 41.45 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 3.5 m core length (63.1 m to 66.6 m) or 3.16 m true width
 - 3.5 m interval 2 assays between 98.15 and 98.8% SiO₂
- Sequence 2: 8.3 m core length (68.0 m to 76.3 m) or 7.49 m true width
 - 2 assay between 99.08 and 99.16% SiO₂
 - 8.3 m interval 6 assays between 97.91 and 99.16% SiO₂

- Sequence 3: 7.6 m core length (79.5 m to 87.1 m) or 6.86 m true width
 - 7.6 m interval 7 assays between 97.94 and 98.76% SiO₂
- Sequence 4: 8.1 m core length (88.9 m to 97.0 m) or 7.31 m true width
 - 5 assay between 99.15 and 99.43% SiO₂
 - 8.1 m interval 8 assays between 98.41 and 99.43% SiO₂
- Sequence 5: 4.3 m core length (101.3 m to 105.6 m) or 3.88 m true width
 - 2 assay between 99.09 and 99.48% SiO₂
 - 4.3 m interval 4 assays between 98.62 and 99.48% SiO₂
- Sequence 6: 1.35 m core length (128.35 m to 129.7 m) or 1.22 m true width
 - 1.35 m interval 2 assays between 98.32 and 98.57% SiO₂

Drill Hole GF15-34 Details

- Located 560 m northeast of the drill hole GF15-5 of the “G” quartzite zone.
- Total 65 samples with sampling length 90.25 m in the quartzite or 56.55 m true width
- 42 of 65 samples returning assays ranging from 98.04 to 99.48% SiO₂ over combined width of 56.55 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 3.05 m core length (103.0 m to 106.05 m) or 2.75 m true width
 - 1 assay of 99.39% SiO₂
 - 3.05 m interval 2 assays between 98.66 and 99.39% SiO₂
- Sequence 2: 15.85 m core length (107.9 m to 123.75 m) or 14.31 m true width
 - 3 assay between 99.01 and 99.33% SiO₂
 - 15.85 m interval 10 assays between 98.1 and 99.33% SiO₂
- Sequence 3: 2.55 m core length (126.35 m to 128.9 m) or 2.3 m true width
 - 1 assay of 99.03% SiO₂
 - 2.55 m interval 2 assays between 98.95 and 99.03% SiO₂
- Sequence 4: 7.7 m core length (130.0 m to 137.7 m) or 6.95 m true width
 - 2 assay between 99.14 and 99.21% SiO₂
 - 7.7 m interval 5 assays between 98.04 and 99.21% SiO₂
- Sequence 5: 6.3 m core length (143.6 m to 149.9 m) or 5.69 m true width
 - 1 assay of 99.26% SiO₂
 - 6.3 m interval 4 assays between 98.59 and 99.26% SiO₂
- Sequence 6: 5.5 m core length (166.5 m to 172.0 m) or 4.96 m true width
 - 5.5 m interval 4 assays between 98.15 and 98.47% SiO₂
- Sequence 7: 3.7 m core length (177.3 m to 181.0 m) or 3.34 m true width
 - 1 assay of 99.1% SiO₂
 - 3.7 m interval 4 assays between 98.4 and 99.1% SiO₂

- Sequence 8: 10.05 m core length (182.8 m to 192.85 m) or 9.07 m true width
 - 3 assay between 99.3 and 99.48% SiO₂
 - 10.05 m interval 7 assays between 98.24 and 99.48% SiO₂
- Sequence 9: 1.55 m core length (193.45 m to 195.0 m) or 1.4 m true width
 - 1.55 m interval 2 assays between 98.5 and 98.73% SiO₂

Drill Hole GF15-35 Details

- Located 615 m northeast of the drill hole GF15-17 of the “G” quartzite zone.
- Total 132 samples with sampling length 188.85 m in the quartzite or 98.9 m true width
- 70 of 132 samples returning assays ranging from 97.93 to 99.68% SiO₂ over combined width of 98.9 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 3.0 m core length (12.5 m to 15.5 m) or 2.83 m true width
 - 3.0 m interval 2 assays between 98.13 and 98.49% SiO₂
- Sequence 2: 5.1 m core length (22.0 m to 27.1 m) or 4.82 m true width
 - 1 assay of 99.34% SiO₂
 - 5.1 m interval 4 assays between 98.38 and 99.34% SiO₂
- Sequence 3: 14.6 m core length (28.6 m to 43.2 m) or 13.8 m true width
 - 2 assay between 99.36 and 99.48% SiO₂
 - 14.6 m interval 11 assays between 98.07 and 99.48% SiO₂
- Sequence 4: 4.75 m core length (44.25 m to 49.0 m) or 4.49 m true width
 - 4.75 m interval 3 assays between 98.29 and 98.63% SiO₂
- Sequence 5: 9.85 m core length (57.15 m to 67.0 m) or 9.31 m true width
 - 9.85 m interval 7 assays between 97.97 and 98.71% SiO₂
- Sequence 6: 3.9 m core length (68.55 m to 72.45 m) or 3.69 m true width
 - 2 assay between 99.5 and 99.68% SiO₂
 - 3.9 m interval 3 assays between 98.98 and 99.68% SiO₂
- Sequence 7: 3.35 m core length (95.45 m to 98.8 m) or 3.17 m true width
 - 2 assay between 99.15 and 99.32% SiO₂
 - 3.35 m interval 2 assays between 99.15 and 99.32% SiO₂
- Sequence 8: 6.9 m core length (113.5 m to 120.4 m) or 6.52 m true width
 - 6.9 m interval 5 assays between 97.93 and 98.75% SiO₂
- Sequence 9: 4.45 m core length (124.55 m to 129.0 m) or 4.2 m true width
 - 1 assay of 99.3% SiO₂
 - 4.45 m interval 4 assays between 98.48 and 99.3% SiO₂
- Sequence 10: 3.55 m core length (134.6 m to 138.15 m) or 3.35 m true width
 - 3.55 m interval 3 assays between 98.23 and 98.71% SiO₂

- Sequence 11: 17.9 m core length (142.6 m to 160.5 m) or 16.91 m true width
 - 6 assay between 99.12 and 99.68% SiO₂
 - 17.9 m interval 11 assays between 98.36 and 99.68% SiO₂
- Sequence 12: 6.05 m core length (161.35 m to 167.4 m) or 5.72 m true width
 - 1 assay of 99.13% SiO₂
 - 6.05 m interval 4 assays between 97.95 and 99.13% SiO₂
- Sequence 13: 4.9 m core length (198.1 m to 203.0 m) or 4.63 m true width
 - 4.9 m interval 3 assays between 98.19 and 98.86% SiO₂

Drill Hole GF15-37 Details

- Located 603 m northeast of the drill hole GF15-5 of the “G” quartzite zone.
- Total 47 samples with sampling length 73.25 m in the quartzite or 67.39 m true width
- 18 of 47 samples returning assays ranging from 97.96 to 98.92% SiO₂ over combined width of 27.65 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 2.5 m core length (66.5 m to 69.0 m) or 2.30 m true width
 - 2.5 m interval 2 assays between 98.01 and 98.37% SiO₂
- Sequence 2: 4.5 m core length (79.5 m to 84.0 m) or 4.14 m true width
 - 4.5 m interval 3 assays between 98.04 and 98.82% SiO₂
- Sequence 3: 3.4 m core length (87.0 m to 90.4 m) or 3.13 m true width
 - 3.4 m interval 2 assays between 97.99 and 98.08% SiO₂
- Sequence 4: 4.9 m core length (92.6 m to 97.5 m) or 4.51 m true width
 - 4.9 m interval 3 assays between 98.57 and 98.86% SiO₂
- Sequence 5: 3.4 m core length (118.85 m to 122.25 m) or 3.13 m true width
 - 3.4 m interval 2 assays between 98.27 and 98.3% SiO₂
- Sequence 6: 3.6 m core length (135.4 m to 139.0 m) or 3.31 m true width
 - 3.6 m interval 2 assays between 98.03 and 98.05% SiO₂

Drill Hole GF15-38 Details

- Located 40 m north-northwest of the drill hole GF15-17 of the “G” quartzite zone.
- Total 24 samples with sampling length 33.6 m in the quartzite or 19.82 m true width
- 19 of 24 samples returning assays ranging from 97.97 to 99.77% SiO₂ over combined width of 26.05 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 10.9 m core length (99.1 m to 110.0 m) or 6.43 m true width
 - 3 assay between 99.26 and 99.31% SiO₂
 - 10.9 m interval 8 assays between 97.97 and 99.31% SiO₂
- Sequence 2: 3.5 m core length (111.6 m to 115.1 m) or 2.07 m true width

- 3.5 m interval 3 assays between 98.07 and 98.98% SiO₂
- Sequence 3: 10.0 m core length (117.0 m to 127.0 m) or 5.9 m true width
 - 3 assay between 99.09 and 99.77% SiO₂
 - 10.0 m interval 7 assays between 98.41 and 99.77% SiO₂

Drill Hole GF15-40 Details

- Located 76.8 m north-northeast of the drill hole GF15-17 of the “G” quartzite zone.
- Total 25 samples with sampling length 34.5 m in the quartzite or 20.52 m true width
- 13 of 25 samples returning assays ranging from 98.16 to 99.37% SiO₂ over combined width of 19.3 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 4.5 m core length (87.5 m to 92.0 m) or 2.68 m true width
 - 2 assay between 99.04 and 99.29% SiO₂
 - 4.5 m interval 3 assays between 98.62 and 99.29% SiO₂
- Sequence 2: 11.65 m core length (93.75 m to 105.4 m) or 6.93 m true width
 - 1 assay of 99.37% SiO₂
 - 11.65 m interval 8 assays between 98.3 and 99.37% SiO₂

Drill Hole GF15-41 Details

- Located 155 m northeast of the drill hole GF15-17 of the “G” quartzite zone.
- Total 37 samples with sampling length 47.8 m in the quartzite or 28.43 m true width
- 32 of 37 samples returning assays ranging from 97.97 to 99.97% SiO₂ over combined width of 40.8 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 2.4 m core length (54.2 m to 56.6 m) or 1.43 m true width
 - 2.4 m interval 2 assays between 97.97 and 98.07% SiO₂
- Sequence 2: 9.4 m core length (57.6 m to 67.0 m) or 5.59 m true width
 - 1 assay of 99.01% SiO₂
 - 9.4 m interval 7 assays between 98.05 and 99.01% SiO₂
- Sequence 3: 9.5 m core length (71.5 m to 81.0 m) or 5.65 m true width
 - 9.5 m interval 7 assays between 98.41 and 98.88% SiO₂
- Sequence 4: 3.2 m core length (82.3 m to 85.5 m) or 1.9 m true width
 - 3.2 m interval 2 assays of 98.65% SiO₂
- Sequence 5: 15.4 m core length (86.6 m to 102.0 m) or 9.16 m true width
 - 6 assay between 99.17 and 99.97% SiO₂
 - 15.4 m interval 13 assays between 98.07 and 99.97% SiO₂

Drill Hole GF15-43 Details

- Located 119 m northeast of the drill hole GF15-17 of the “G” quartzite zone.
- Total 48 samples with sampling length 51.15 m in the quartzite or 45.18 m true width
- 32 of 48 samples returning assays ranging from 97.92 to 99.46% SiO₂ over combined width of 34.1 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 1.5 m core length (95.9 m to 97.4 m) or 1.33 m true width
 - 1.5 m interval 2 assays between 98.02 and 98.53% SiO₂
- Sequence 2: 3.9 m core length (97.9 m to 101.8 m) or 3.44 m true width
 - 3.9 m interval 4 assays between 97.97 and 98.43% SiO₂
- Sequence 3: 9.9 m core length (102.3 m to 107.8 m) or 8.74 m true width
 - 9.9 m interval 5 assays between 98.09 and 98.55% SiO₂
- Sequence 4: 3.6 m core length (109.4 m to 113.0 m) or 3.18 m true width
 - 3.6 m interval 4 assays between 98.57 and 98.93% SiO₂
- Sequence 5: 4.1 m core length (113.9 m to 118.0 m) or 3.62 m true width
 - 4.1 m interval 4 assays between 98.11 and 98.99% SiO₂
- Sequence 6: 13.2 m core length (122.3 m to 135.5 m) or 11.66 m true width
 - 3 assay between 99.16 and 99.46% SiO₂
 - 13.2 m interval 11 assays between 97.92 and 99.46% SiO₂

Drill Hole GF15-49 Details

- Located 260 m northeast of the drill hole GF15-5 of the “G” quartzite zone.
- Total 58 samples with sampling length 73.4 m in the quartzite or 65.2 m true width
- 45 of 58 samples returning assays ranging from 97.93 to 99.61% SiO₂ over combined width of 59.35 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 11.8 m core length (70.6 m to 82.4 m) or 10.48 m true width
 - 3 assay between 99.31 and 99.61% SiO₂
 - 11.8 m interval 7 assays between 98.81 and 99.61% SiO₂
- Sequence 2: 3.1 m core length (82.9 m to 86.0 m) or 2.75 m true width
 - 3.1 m interval 2 assays between 98.62 and 98.91% SiO₂
- Sequence 3: 3.2 m core length (90.0 m to 93.2 m) or 2.84 m true width
 - 3.2 m interval 2 assays between 97.93 and 98.7% SiO₂
- Sequence 4: 9.0 m core length (96.0 m to 105.0 m) or 7.99 m true width
 - 1 assay of 99.0% SiO₂
 - 9.0 m interval 6 assays between 98.5 and 99.0% SiO₂
- Sequence 5: 17.05 m core length (107.45 m to 124.0 m) or 15.15 m true width
 - 6 assay between 99.04 and 99.55% SiO₂
 - 17.05 m interval 15 assays between 98.05 and 99.55% SiO₂

- Sequence 6: 5.25 m core length (127.05 m to 132.3 m) or 4.66 m true width
 - 3 assay between 99.02 and 99.39% SiO₂
 - 5.25 m interval 4 assays between 98.59 and 99.39% SiO₂
- Sequence 7: 6.65 m core length (132.9 m to 139.55 m) or 5.91 m true width
 - 4 assay between 99.11 and 99.51% SiO₂
 - 6.65 m interval 6 assays between 98.28 and 99.51% SiO₂

Drill Hole GF15-50 Details

- Located 85 m north of the drill hole GF15-17 of the “G” quartzite zone.
- Total 12 samples with sampling length 20.2 m in the quartzite or 13.5 m true width
- 6 of 12 samples returning assays ranging from 98.45 to 99.18% SiO₂ over combined width of 8.85 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 7.55 m core length (98.59 m to 99.18 m) or 5.91 m true width
 - 4 assay between 99.06 and 99.18% SiO₂
 - 7.55 m interval 5 assays between 98.52 and 99.18% SiO₂

Drill Hole GF15-51A Details

- Located 300 m northeast of the drill hole GF15-5 of the “G” quartzite zone.
- Total 74 samples with sampling length 105.65 m in the quartzite or 100.3 m true width
- 51 of 74 samples returning assays ranging from 97.96 to 99.69% SiO₂ over combined width of 71.0 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 3.7 m core length (41.8 m to 45.5 m) or 3.51 m true width
 - 1 assay of 99.03% SiO₂
 - 3.7 m interval 3 assays between 98.45 and 99.03% SiO₂
- Sequence 2: 16.4 m core length (47.1 m to 63.5 m) or 15.57 m true width
 - 16.4 m interval 13 assays between 97.96 and 98.96% SiO₂
- Sequence 3: 6.0 m core length (67.0 m to 73.0 m) or 5.7 m true width
 - 6.0 m interval 3 assays between 97.99 and 98.21% SiO₂
- Sequence 4: 14.4 m core length (74.4 m to 88.8 m) or 13.67 m true width
 - 7 assay between 99.04 and 99.69% SiO₂
 - 14.4 m interval 11 assays between 98.07 and 99.69% SiO₂
- Sequence 5: 6.15 m core length (89.5 m to 95.65 m) or 5.84 m true width
 - 6.15 m interval 4 assays between 98.42 and 98.97% SiO₂
- Sequence 6: 3.85 m core length (111.15 m to 115.0 m) or 3.66 m true width
 - 3.85 m interval 3 assays between 98.13 and 98.66% SiO₂
- Sequence 7: 3.15 m core length (119.0 m to 122.15 m) or 2.99 m true width

- 3.15 m interval 2 assays between 98.35 and 99.79% SiO₂
- Sequence 8: 4.2 m core length (123.8 m to 128.0 m) or 3.99 m true width
 - 4.2 m interval 3 assays between 98.14 and 98.47% SiO₂
- Sequence 9: 5.1 m core length (111.15 m to 115.0 m) or 3.66 m true width
 - 3.85 m interval 3 assays between 97.99 and 98.68% SiO₂
- Sequence 10: 3.2 m core length (140.0 m to 143.2 m) or 3.04 m true width
 - 3.2 m interval 2 assays between 98.66 and 98.91% SiO₂

Drill Hole GF15-52 Details

- Located 170 m northeast of the drill hole GF15-17 of the “G” quartzite zone.
- Total 44 samples with sampling length 62.15 m in the quartzite or 36.97 m true width
- 29 of 44 samples returning assays ranging from 97.93 to 99.98% SiO₂ over combined width of 44.3 meters

Sequence of Assayed Silica Oxide Contents (Over 98% SiO₂)

- Sequence 1: 11.9 m core length (95.75 m to 107.65 m) or 7.08 m true width
 - 11.9 m interval 7 assays between 98.05 and 98.91% SiO₂
- Sequence 2: 3.85 m core length (108.15 m to 112.0 m) or 2.29 m true width
 - 1 assay of 99.05% SiO₂
 - 3.85 m interval 2 assays between 98.21 and 99.05% SiO₂
- Sequence 3: 4.7 m core length (113.5 m to 118.2 m) or 2.8 m true width
 - 2 assay between 99.24 and 99.59% SiO₂
 - 4.7 m interval 3 assays between 98.4 and 99.59% SiO₂
- Sequence 4: 3.45 m core length (122.3 m to 125.75 m) or 2.05 m true width
 - 3.45 m interval 2 assays between 98.0 and 98.27% SiO₂
- Sequence 5: 10.7 m core length (129.35 m to 140.05 m) or 6.37 m true width
 - 4 assay between 99.13 and 99.98% SiO₂
 - 10.7 m interval 8 assays between 97.96 and 99.98% SiO₂
- Sequence 6: 5.75 m core length (142.45 m to 148.2 m) or 3.42 m true width
 - 5.75 m interval 4 assays between 98.19 and 98.87% SiO₂

About Rogue Resources Inc.

With its diverse portfolio of properties, all in good standing, the Company has the ability to focus its efforts and finances on the project that demonstrates the greatest market potential for return. The projected completion of the extension by Québec Hydro of high voltage power to within 4 km of the project by the spring of 2016, is seen as a great foundational point to launch our silica rich quartzite property.

The Femelle Project is located approximately 42 km north of Baie-Saint Paul, situated on the St. Lawrence River, and is 4 km northeast of the Mine Sitec silica mine, in operation for over fifty years. Access to the project is via a paved highway and well maintained forestry access roads.

Qualified Person

The Lac de la Grosse Femelle exploration project is under the direct supervision of Eddy Canova, P Geo., and Senior Vice-President of the Company, a Qualified Persons ("QP") as defined by National Instrument 43-101, assisted by Alain-Jean Beaugard, P.Geo., and Daniel Gaudreault, Eng., Geo. of Geologica Inc., and Dr. Trygve Hoy, P.Eng, PhD, all independent QPs as defined by National Instrument 43-101. The Company's QP has approved the scientific and technical content of this release.

On Behalf of Rogue Resources Inc.

John de Jong
CEO & President

For additional information regarding this news release please contact:

John de Jong
CEO/President
john@roguerresources.ca
604-629-1808

sean@allysontaylorpartners.com
514-397-0110
Montréal, QC

Investor Relations
Sean Budnick

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.

Cautionary Note Regarding Forward-Looking Statements: *Certain disclosures in this release constitute forward-looking statements, including timing of completion of exploration work. In making the forward-looking statements in this release, the Company has applied certain factors and assumptions that are based on the Company's current beliefs as well as assumptions made by and information currently available to the Company, including that the Company is able to obtain any government or other regulatory approvals, that the Company is able to procure personnel, equipment and supplies required for its exploration and development activities in sufficient quantities and on a timely basis and that actual results are consistent with management's expectations. Although the Company considers these assumptions to be reasonable based on information currently available to it, they may prove to be incorrect, and the forward-looking statements in this release are subject to numerous risks, uncertainties and other factors that may cause future results to differ materially from those expressed or implied in such forward-looking statements. Such risk factors include, among others, those matters identified in its continuous disclosure filings, including its most recently filed MD&A. Readers are cautioned not to place undue reliance on forward-looking statements. The Company does not intend, and expressly disclaims any intention or obligation to, update or revise any forward-looking statements whether as a result of new information, future events or otherwise, except as required by law.*